





For more Hi-Fi manuals and set-up information
please visit www.hifiengine.com



WIRING DIAGRAM



P1 AC 120V, 60Hz

T1 POWER

PCB-8

D.D.MOTOR, CAPSTAN

DC MOTOR, ASSIST

LP801 CASSETTE ILLUMINATOR

TAPE SPEED ADJ.

ROTATION SENSOR P.C. BOARD

MIS-ERASE PROTECT SWITCH

CASSETTE PACK DETECT SWITCH

DC MOTOR, REEL

ERASE HEAD

RECORD/PLAYBACK HEAD

PCB-5 Pattern Side

PCB-5 Parts Side

SW101 REW
SW102 PLAY
SW103 F.FWD
SW104 STOP
SW105 RECORD
SW106 PAUSE

PCB-2

PCB-12

PEAKING COIL ADJ.
RECORD/PLAYBACK
EQUALIZER FREQUENCY
CHARACTERISTIC ADJ.

PCB-1

PCB-9

J402

PCB-6

PCB-11

PCB-7

PCB-10

PIN CONNECTION DIAGRAM OF TRANSISTORS, DIODES AND ICs.


2SA999 2SC2603 2SA1286	2SC2236 2SA966 2SC3246	2SA1217 2SC2877	2SA1305 RDB.2EB3 RD6.2EB2 RD4.7EB2 1K34A RD7.5EB2 1G35-10 RDB.2EB1 RD12EB1 RD13EB2 1S2471	KB265 MV-12 Cathode	MC921 Anode	SY406TK Cathode	LT9002D Anode	TA78012AP Anode	HA17082FS Anode	BA335 Anode	TC4001BP Anode	TD62503P Anode
2SA999L 2SA1115 2SA1190 2SC2220 2SC2320L 2SC2655 2SC2876	2SK246 2SK381	1S2473 RDB.1EB2 RD9.1EB2 H21192L RDB.6EB2 RD10EB2 1S2471	GL5HD22 Cathode	GL9PG10 GL9HY9 Cathode	TLR122 TLG121 Cathode	S1RBA Anode	M5218L Anode	M5220P M5218P Anode	BA610B Anode	HA1203B-01 Anode	M58846-641SP Anode	

WIRE COLOR ABBREVIATIONS

RED : Red
ORG : Orange
BLU : Blue
WHT : White
GRN : Green
BLK : Black
YEL : Yellow
PUR : Purple
PIK : Pink


WIRING DIAGRAM

1
2
3
4
5
6
7
8
9
10
11



PIN CONNECTION DIAGRAM OF TRANSISTORS, DIODES AND ICs.

2SA1286 2SC2603	2SA966 2SC2236 2SC3246	2SA1217 2SC2877	2SA1305 RD4.7JB2 RD5.1EB2 RD6.2JB2 RD6.2EB2 RD8.2JB1 RD8.2EB3 RD10JB2 RD11JB2 RD12JB1 RD13EB2	KB265 MV-12	MC921	SY408TK	GL5HD5	TA78012AP	HA17082PS	BA335	TC4001BP	TD62503P
2SA999L 2SA1115 2SA1190 2SC945L 2SC2320L 2SC2895 2SC2878	2SK246	2SK381	1K34A 1S2471 1S2473 H2982L H21182L H21242L DS135E ERC0402F	GL5HD22	GL9PG19 GL9HY9	TLR122 TLG121	S1R8A	M5218L	M5220P M5218P	BA6109	HA12058-01	M58846-641SP





- 3

The diagrams show the standard symbols for PNP and NPN transistors. The PNP transistor symbol has an arrow pointing inward at the emitter, while the NPN transistor symbol has an arrow pointing outward. Labels indicate the Collector, Base, and Emitter terminals for each.

WIRE COLOR ABBREVIATIONS

- RED : Red
- ORG : Orange
- BLU : Blue
- WHT : White
- GRN : Green
- BLK : Black
- YEL : Yellow
- PUR : Purple
- PKL : Pink

SCHEMATIC DIAGRAM

